

GLACIER

Bottled Water Cooler



GLACIER

Bottled Water Cooler

The Glacier cooler is sophistication simplified. The rounded cabinet has a stylish fluted front, giving it a classic Greek column design. Features include approved food grade HDPE removable reservoir and the sealed Crystal Guard non-spill system. The Glacier is available in white, black or granite with an optional bottle cover and if desired, the DryGuard™ system can be fitted at the factory.



Child-proof hot water faucet



Cup dispenser



Hot water ON and OFF switch



Removable drip tray

DryGuard™

Crystal Mountain's patented sealed-system DryGuard™ feature, molded from polypropylene, protects floors against leaks caused by cracked and faulty bottles.



GLACIER

Bottled Water Cooler

Performance & Specifications

General

Air cooled, bottled type water cooler provided with a power supply cord for connection to source of power supply

Cooler Cabinet

Blow molded, high density polyethylene(HDPE) resistant to cracking
Other colours are also available when order by container

Faucet Type

Concealed faucet for optimum hygiene
Constructed of FDA approved nylon and silicon tubing
Optional child lock safety function

Cold Water Tank Specifications

Stainless steel #304 or HDPE casing with 2.0L (0.5 gal) volume
Cold water cooling capacity of 3.5L (0.9 gal)/hour based on 21°C (69.8°F) room temperature

Cold Water Thermostat

Preset at factory to dispense water at temperature from 2-10°C (35.6-50°F)
Adjustable cold control located at the back of the cabinet

Hot Water Tank Specifications

Stainless steel #304 casing with 1.8L (0.5 gal) volume
Hot water capacity of 4.5L (1.2 gal)/hour based on 21°C (69.8°F) room temperature

Hot Water Thermostats and Heater

Automatic thermostat control with temperature range of 75-92° C (167-197.6°F)
Manual thermostat reset in case of automatic thermostat failure
450W external heater band
ON/OFF switch located at the back of the cabinet
Electronic Thermostat System (ETS) is available, which provides for a temperature control range of 88-92°C (190.4-197°F)

Compressor Type

Hermetically sealed reciprocating compressor
(220-240VAC 50Hz) (110-115VAC 60Hz)

Refrigerant Type: R134a (CFC Free)

Refrigerant Charge: 28.4g (1.0 oz)

Dimensions & Freight Data

Product Dimensions

314mm deep x 312mm wide x 980mm high
(12.4" deep x 12.2" wide x 38.6" high)

Product Weight: H&C:14.7kg (32.4 lb) C&C:13.8kg (30.5 lb)

Product Boxed Dimensions

320mm deep x 330mm wide x 1000mm high
(12.6" deep x 12.4" wide x 38.6" high)

Product Boxed Weight: H&C:15.8kg (34.8 lb) C&C:15.1kg (33.3 lb)

20FT Container Quantity: 252 Units

40FT Container Quantity: 518 Units



All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.

